

## Tool Instruction

### Heavy Duty Electrical Harness Repair Kit Update

4328500R1

Tool Number: TXT126870362, TXT126870363, TXT126870364



0000415153

Figure 1. Heavy Duty Engine Harness Repair Kit Update


### Purpose


This is an update to TXT1268702-1 Heavy Duty Engine Harness Repair Kit. This update kit contains connectors for 2017 International® A26 equipped Navistar® vehicles.


### Application(s)

2017 International® A26

## Application(s) (cont.)

 **WARNING:** To prevent personal injury and / or death, read all safety instructions in the “Safety Information” section of the *Engine Service Manual* or *Engine Diagnostic Manual* .





 **WARNING:** To prevent property damage, personal injury, and / or death, park vehicle on hard flat surface, turn the engine off, set the parking brake, and install wheel chocks to prevent the vehicle from moving in either direction.

 **WARNING:** To prevent personal injury and / or death, always wear safe eye protection when performing vehicle maintenance.

 **WARNING:** To prevent property damage, personal injury, and / or death, inspect tool for wear / damage prior to use. Replace any worn or damaged components as necessary.

## Tool Contents

Table 1

Image	Tool Number	Qty	Description
 <p>0000415159</p>	TXT126870362	1	Electrical Connector (Includes Label)
 <p>0000415161</p>	TXT126870363	1	Electrical Connector (Includes Label)
 <p>0000415157</p>	TXT126870364	1	Electrical Connector (Includes Label)
 <p>0000160075</p>	4328500R1	1	Tool Instruction

## Instructions




0000415155

**Figure 2. Drawer F Location**

1. Drawer F

1. Locate tool cabinet marked TXT1268702-1.
2. Locate and open Drawer F (Figure 2, Item 1).

## Instructions (cont.)



0000415154

**Figure 3. Connector Label Locations**

1. Label TXT126870362
  2. Label TXT126870363
  3. Label TXT126870364
3. Place TXT126870362 Label (Figure 3, Item 1) over existing label and insert connector into corresponding cavity.
  4. Place TXT126870363 Label (Figure 3, Item 2) over existing label and insert connector into corresponding cavity.
  5. Place TXT126870364 Label (Figure 3, Item 3) over existing label and insert connector into corresponding cavity.
  6. Close Drawer F.

## Care and Maintenance

- Keep tools clean and free of contaminants
- Replace any damaged components

## Contact Information

If you would like to order additional tools or need replacement parts, please refer to the Navistar Service Tool Catalog. If you have questions, concerns, or feedback, please contact Navistar Service Tool Support Center:

- Submit a Service Tool iKNow Case File.
- Phone: 800-365-0088 (toll free).